

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	41	(tilt\$3 skew\$3) and (lens near3 hold\$3) and (((support\$3 wire) near3 (elastic\$4 flexib\$5)) same (expan\$4 contract\$3 bent bend\$3 deflect\$3))	USPAT	OR	ON	2005/07/08 10:42
L2	20	(tilt\$3 skew\$3) and (((support\$3 wire) near3 (elastic\$4 flexib\$5)) with (expan\$4 contract\$3 bent bend\$3 deflect\$3)) and ("369"/\$7 "720"/\$7).ccls.	USPAT	OR	ON	2005/07/08 11:15
L3	869	(369/44.14-44.15 720/681-685).ccls.	USPAT	OR	ON	2005/07/08 11:18
L4	562	(369/44.14-44.15 720/681-685).ccls. and (bent bend\$3 displac\$5 expan\$4 contract\$3)	USPAT	OR	ON	2005/07/08 11:19
L5	293	(369/44.14-44.15 720/681-685).ccls. and ((bent bend\$3 displac\$5 expan\$4 contract\$3) same (elastic\$4 flexib\$5 wire support\$3))	USPAT	OR	ON	2005/07/08 11:19
L6	199	(369/44.14-44.15 720/681-685).ccls. and ((bent bend\$3 displac\$5 expan\$4 contract\$3) with (elastic\$4 flexib\$5 wire support\$3))	USPAT	OR	ON	2005/07/08 11:20
L7	119	(369/44.14-44.15 720/681-685).ccls. and ((bent bend\$3 expan\$4 contract\$3) with (elastic\$4 flexib\$5 wire support\$3))	USPAT	OR	ON	2005/07/08 11:28
L8	4	("5428481"   "5841593"   "6160771"   "6310852").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/08 11:21
L9	74	(369/44.15).ccls. and ((bent bend\$3 expan\$4 contract\$3) with (elastic\$4 flexib\$5 wire support\$3))	USPAT	OR	ON	2005/07/08 11:29
L10	35	(369/44.15).ccls. and ((bent bend\$3 expan\$4 contract\$3) with (elastic\$4 flexib\$5 wire support\$3)) and (tilt\$3 skew\$3)	USPAT	OR	ON	2005/07/08 11:29
S1	1222	(tilt\$3 near3 (adjust\$4 correct\$3)) and elastic\$4	USPAT	OR	ON	2005/07/07 16:22
S2	59	"369"/\$7.ccls. and (tilt\$3 near3 (adjust\$4 correct\$3)) and elastic\$4	USPAT	OR	ON	2003/12/23 12:27

S3	133	sekimoto-yoshihiro.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/22 13:39
S4	30	sekimoto-yoshihiro.in. and elastic\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/22 13:39
S5	4	("4550249"   "5097464"   "5446565"   "5446721").PN.	USPAT	OR	ON	2003/12/22 13:45
S6	297	"369"/\$7.ccls. and (tilt\$3 near3 (adjust\$4 correct\$3))	USPAT	OR	ON	2003/12/23 12:27
S7	110	"369"/\$7.ccls. and ((tilt\$3 near3 (adjust\$4 correct\$3)) same (object\$3 near2 lens))	USPAT	OR	ON	2003/12/23 12:29
S8	111	"369"/\$7.ccls. and ((tilt\$4 near3 (adjust\$4 correct\$3)) same (object\$3 near2 lens))	USPAT	OR	ON	2003/12/23 12:31
S9	34	"369"/\$7.ccls. and ((tilt\$4 near3 (adjust\$4 correct\$3)) same (object\$3 near2 lens)) and elastic\$4	USPAT	OR	ON	2003/12/23 12:32
S10	38598	((skew\$3 tilt\$3) with (correct\$3 adjust\$5 chang\$3)) ((skew\$3 tilt\$3) and (focus\$4 with (correct\$3 adjust\$5 chang\$3)))	USPAT	OR	ON	2004/05/19 13:51
S11	1178	"369"/\$7.ccls. and (((skew\$3 tilt\$3) with (correct\$3 adjust\$5 chang\$3)) ((skew\$3 tilt\$3) and (focus\$4 with (correct\$3 adjust\$5 chang\$3))))	USPAT	OR	ON	2005/01/18 11:41
S12	758	"369"/\$7.ccls. and (((skew\$3 tilt\$3) with (correct\$3 adjust\$5 chang\$3)) ((skew\$3 tilt\$3) same (focus\$4 with (correct\$3 adjust\$5 chang\$3))))	USPAT	OR	ON	2004/05/19 13:53
S13	130	"369"/\$7.ccls. and ((skew\$3 tilt\$3) with (focus\$4 with (correct\$3 adjust\$5 chang\$3)))	USPAT	OR	ON	2004/05/19 13:53
S14	65	"369"/\$7.ccls. and (((skew\$3 tilt\$3) with (correct\$3 adjust\$5 chang\$3)) ((skew\$3 tilt\$3) same (focus\$4 with (correct\$3 adjust\$5 chang\$3)))) and ((elastic\$5 flexib\$5) near3 support\$3)	USPAT	OR	ON	2004/05/19 13:55

S15	6	"369"/\$7.ccls. and (((skew\$3 tilt\$3) with (correct\$3 adjust\$5 chang\$3)) ((skew\$3 tilt\$3) same (focus\$4 with (correct\$3 adjust\$5 chang\$3)))) and (((elastic\$5 flexib\$5) near\$3 support\$3) with (expan\$3 contact\$3 bend\$4))	USPAT	OR	ON	2004/05/19 13:57
S16	6	"369"/\$7.ccls. and (((skew\$3 tilt\$3) with (correct\$3 adjust\$5 chang\$3)) ((skew\$3 tilt\$3) same (focus\$4 with (correct\$3 adjust\$5 chang\$3)))) and (((elastic\$5 flexib\$5) near\$3 support\$3) with (expan\$3 contact\$3 bend\$4)) and (skew\$3 tilt\$3)	USPAT	OR	ON	2004/05/19 14:23
S17	3	"369"/\$7.ccls. and (((skew\$3 tilt\$3) with (correct\$3 adjust\$5 chang\$3)) ((skew\$3 tilt\$3) same (focus\$4 with (correct\$3 adjust\$5 chang\$3)))) and (((elastic\$5 flexib\$5) near\$3 support\$3) with (expan\$3 contract\$3 bend\$4)) and (skew\$3 tilt\$3)	USPAT	OR	ON	2004/05/19 14:23
S18	9	("5479386"   "5604641"   "5715231"   "5734638"   "5768034"   "5787067"   "5877904"   "5892628"   "5999341").PN.	USPAT	OR	ON	2004/05/19 14:35
S19	4	("4773055"   "5446721"   "5905255"   "6016292").PN.	USPAT	OR	ON	2004/05/19 14:38
S20	4	("4773055"   "5446721"   "5905255"   "6016292").PN.	USPAT	OR	ON	2004/05/20 10:37
S21	238	"369"/\$7.ccls. and (tilt near\$3 detect\$3)	USPAT	OR	ON	2004/05/20 10:38
S22	92	"369"/\$7.ccls. and (tilt near\$3 detect\$3) and (tilt\$3 with focus\$4)	USPAT	OR	ON	2004/05/20 10:39
S23	48	"369"/\$7.ccls. and (tilt near\$3 detect\$3) and (tilt\$3 with focus\$4) and (bend\$3 deflect\$3 compact\$3 expand\$3)	USPAT	OR	ON	2004/05/20 10:51
S24	30	"369"/\$7.ccls. and (tilt near\$3 detect\$3) and (tilt\$3 with focus\$4) and (bend\$3 deflect\$3 contract\$3 expan\$4 compacti\$2)	USPAT	OR	ON	2004/05/20 11:09
S25	10	"369"/\$7.ccls. and (becu same elastic\$5)	USPAT	OR	ON	2004/05/20 10:55
S26	111	"369"/\$7.ccls. and ((focus\$4 near\$4 (direction moving move\$4 axis adjust\$4)) with tilt\$3)	USPAT	OR	ON	2004/05/20 11:12

S27	35	"369"/\$7.ccls. and ((focus\$4 near4 (direction moving move\$4 axis adjust\$4)) with tilt\$3 with (caus\$3 result\$3 produc\$4 ))	USPAT	OR	ON	2004/05/20 11:15
S28	35	"369"/\$7.ccls. and ((focus\$4 near4 (direction moving move\$4 axis adjust\$4)) with tilt\$3 with (caus\$3 result\$3 produc\$4 develop\$3))	USPAT	OR	ON	2004/05/20 12:02
S29	3	"369"/\$7.ccls. and ((focus\$4 near4 (direction moving move\$4 axis adjust\$4)) with (tilt\$3 near3 tangent\$3) with (caus\$3 result\$3 produc\$4 develop\$3))	USPAT	OR	ON	2004/05/20 11:47
S30	14	"369"/\$7.ccls. and ((focus\$4 near4 (direction moving move\$4 axis adjust\$4 displac\$5)) with (tilt\$3 near3 tangent\$3))	USPAT	OR	ON	2004/05/20 12:00
S31	14	"369"/\$7.ccls. and ((focus\$4 near4 (offset\$4 direction moving move\$4 axis adjust\$4 displac\$5)) with (tilt\$3 near3 tangent\$3))	USPAT	OR	ON	2004/05/20 12:01
S32	38	"369"/\$7.ccls. and ((focus\$4 near4 (direction moving move\$4 axis adjust\$4)) with tilt\$3 with (caus\$3 result\$3 produc\$4 develop\$3 cancel\$4 offset\$4 balanc\$3))	USPAT	OR	ON	2004/05/20 12:03
S36	0	10/263,687	USPAT	OR	ON	2004/11/17 15:06
S37	1	"10/263,687"	US-PGPUB; USPAT	OR	ON	2004/11/17 15:06
S38	1	"6665238".pn.	USPAT	OR	ON	2005/01/18 11:10
S39	4	("5428481"   "5841593"   "6160771"   "6310852").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/18 11:10
S40	22	("720"/\$7 "369"/\$7).ccls. and (((bent bend\$3) near4 ((z focus\$4) near2 direction axis)) with (wire support\$3 elastic\$4))	USPAT	OR	ON	2005/01/18 11:52
S41	5	("720"/\$7 "369"/\$7).ccls. and (((bent bend\$3) near4 ((z focus\$4) near2 direction axis)) with (wire support\$3 elastic\$4)) and tilt\$3	USPAT	OR	ON	2005/01/18 11:52
S42	1	(tsukuda-satsuki yoshihiro-sekimoto).in.	US-PGPUB; USPAT	OR	ON	2005/07/07 17:02
S43	0	(tsukuda-satsuki and yoshihiro-sekimoto).in.	US-PGPUB; USPAT	OR	ON	2005/07/07 16:24
S44	137	(tilt\$3 skew\$3) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)))	US-PGPUB; USPAT	OR	ON	2005/07/07 17:31

S45	64	((tilt\$3 skew\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5))) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)))	US-PGPUB; USPAT	OR	ON	2005/07/07 17:27
S46	31	((tilt\$3 skew\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5))) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)))	USPAT	OR	ON	2005/07/07 17:27
S47	2	(tilt\$3 skew\$3) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)) same (expan\$4 near5 contract\$3))	US-PGPUB; USPAT	OR	ON	2005/07/07 19:27
S48	16	(tilt\$3 skew\$3) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)) same (expan\$4 contract\$3 bent bend\$3))	US-PGPUB; USPAT	OR	ON	2005/07/07 19:27
S49	8	(tilt\$3 skew\$3) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)) same (expan\$4 contract\$3 bent bend\$3))	USPAT	OR	ON	2005/07/07 19:31
S51	31	(tilt\$3 skew\$3) and (lens near3 hold\$3) and (((support\$3 wire) near3 (elastic\$4 flexib\$5)) same (expan\$4 contract\$3 bent bend\$3))	USPAT	OR	ON	2005/07/08 10:39
S52	835	(tilt\$3 skew\$3) and ((lens near3 hold\$3) (object bear2 lens)) and (((support\$3 wire) near3 (elastic\$4 flexib\$5)) same (expan\$4 contract\$3 bent bend\$3))	USPAT	OR	ON	2005/07/07 19:33
S53	74	(tilt\$3 skew\$3) and (((lens near3 hold\$3) (object bear2 lens)) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)) same (expan\$4 contract\$3 bent bend\$3))	USPAT	OR	ON	2005/07/07 19:33
S54	33932	("720"/\$7 "369"/\$7).ccls.	USPAT	OR	ON	2005/07/07 19:33
S55	32	S52 and S54	USPAT	OR	ON	2005/07/07 19:34
S56	13	S53 and S54	USPAT	OR	ON	2005/07/07 19:34
S57	19	S55 not S56	USPAT	OR	ON	2005/07/07 19:34